Genomeditech (Shanghai) Co.,Ltd. Order: 021-68455258/50432826/50432825

Toll-free: 400 627 9288

Email: service@genomeditech.com

Biotinylated Human EGFR Protein; His-Avi Tag

Product Information

Product NameBiotinylated Human EGFR Protein; His-Avi Tag

Storage temp. Store at \leq -70°C, stable for 6 months after receipt.

Recommend to aliquot the protein into smaller quantities for

optimal storage. Please minimize freeze-thaw cycles.

Catalog# / Size GM-87562RP-25 / 25 μg

GM-87562RP-200 / 200 µg

Protein Information

Alternative Names EGF R,ERBB,ERBB1,HER1,PIG61

Source Biotinylated Human EGFR Protein; His-Avi Tag (GM-87562RP) is expressed

from human 293 cells (HEK-293). It contains AA Leu 25 - Ser 645 (Accession #

P00533-1)

This protein carries a His-Avi tag at the C-terminus.

Purity > 95% as determined by SDS-PAGE

Endotoxin < 1 EU/μg, determined by LAL gel clotting assay

Predicted Mol Mass 70.8 KDa

Formulation Supplied as a 0.2 μm filtered solution of PBS, pH7.4.

Description EGFR (Epidermal Growth Factor Receptor) protein is a receptor tyrosine kinase

(RTK), belonging to the tyrosine kinase receptor family. EGFR is widely expressed in various cell types, including epithelial cells, nerve cells, and muscle cells. Activation of EGFR typically occurs through binding to its ligand (such as EGF), triggering its autophosphorylation and activating its tyrosine kinase activity. Activated EGFR then initiates a series of signaling pathways, including Ras-MAPK, PI3K-Akt, among others, thereby influencing cell physiological

functions.

EGFR plays a significant role in many types of cancers because abnormal EGFR signaling pathways can lead to excessive cell proliferation and malignant transformation. Therefore, EGFR has become one of the important targets for cancer treatment, with anti-cancer drugs targeting EGFR, such as EGFR inhibitors, being widely researched and applied in clinical therapy. EGFR holds importance in cell biology and cancer research, playing a crucial role in


understanding cell signaling and cancer development mechanisms.

Genomeditech (Shanghai) Co.,Ltd. Order: 021-68455258/50432826/50432825

Toll-free: 400 627 9288

Email: service@genomeditech.com

SDS-PAGE




On SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

Bioactivity-ELISA

Bioactivity-ELISA

0.1 µg Biotinylated Human EGFR Protein; His-Avi Tag of per well



Anti-H EGFR hIgG1 Antibody(Necitumumab).(ng/mL)

Biotinylated Human EGFR Protein; His-Avi Tag (Catalog # GM-87562RP) was immobilized at 1 μ g/ml (100 μ L/well) on streptavidin precoated. Increasing concentrations of Anti-H_EGFR hIgG1 Antibody(Necitumumab) (Catalog # GM-49155AB) were added.